

ABOUT CCTiO2

CCTiO2 is a TOP LEVEL Titanium Dioxide Manufacture/Supplier in China.
TiO2 are widely used in paint and coatings, plastic, paper, rubber, chemical fiber industries etc.
We supply high-quality, high-grade Rutile and Anatase TiO2 for world business partners.

sale@cctio2.com

<http://www.cctio2.com/> [English]

<http://www.cctio2.jp/> [Japan]

<http://www.cctio2.cn/> [China]

<http://zhongyuantaibai.1688.com/> (Alibaba China)



CCTiO2 Group includes:

- Shenzhen ZhongYuanTaiBai Co., LTD
 - DongGuan JuTai Chemical Import & Export Co., LTD
 - GuangDong DaCheng Plastic Co., LTD (GDDCP)
 - JABIT Titanium Dioxide Trademark & Products
- <http://www.jabit.cn/>

ShenZhen Office/China

+86-138-2334-669

+86-769-8220-1060

Fucheng Road,XixiangJiedao,Baoan,Shenzhen,China

GuangDong DongGuan Office/China

+86-186-8866-4657

+86-135-8086-3557

+86-769-8220-1060

1-1 & 3-8, Meijite, Changping,Dongguan, Guangdong,China

Tokyo/Japan Office

+81-3-6807-7191(Japan)

39BAN-9, 4CHOME, NISHI-IKEBUKURO, TOSHIMAKU, TOKYO, JAPAN

TAIPEI/Sales Office

11F, NO.13, LN.99, YONGSHUN ST. TAOYUAN DIST. TAOYUAN CITY, TAIWAN

Trade Terms

- EXW Term
- FOB/FCA Terms
- CFR/CIF Terms

Work with USD, EUR, CNY

etc.

FOB Port

Shenzhen, Guangzhou, ShangHai etc.

Lead Time : 3-10 days.

WHY CHOOSE US

1) We are professional.

We work with:

Trade Terms	FOB Port	Currency	Shipping
EXW	Shenzhen	USD	Sea Transport
FOB/FCA	Guangzhou	EUR	Rail Transport
CFR/CIF	Shanghai	CNY	Air Transport
	Qingdao		Road Transport

We supply including:

Product quality	Qualification Certification	Contract / Customs Declaration	Bill of Lading
TDS	Export License	Contract	Ocean B/L
MSDS	Certification for Railway	Commercial Invoice	Railway Waybill
SGS	Certification for Shipping	Packing List	
REACH	Certification for Air	Customs Declaration	
COA	Certificate of Origin Form-A/E/F		

中华人民共和国出口许可证
EXPORT LICENSE OF THE PEOPLE'S REPUBLIC OF CHINA No. 5223753

1. 出口许可证号: 5223753
2. 出口许可证日期: 2019-12-31
3. 出口许可证有效期: 2019-12-31
4. 出口许可证签发机关: 商务部

5. 出口许可证申请人: 东莞市日铁化工有限公司
6. 出口许可证收货人: 东莞市日铁化工有限公司

7. 出口许可证货物名称: 二氧化钛
8. 出口许可证货物数量: 200,000.0
9. 出口许可证货物价值: 418,000.0
10. 出口许可证货物原产地: 中国

11. 出口许可证货物规格: 200,000.0
12. 出口许可证货物用途: 工业用

13. 出口许可证货物备注: 无

14. 出口许可证货物其他: 无

15. 出口许可证货物其他: 无

16. 出口许可证货物其他: 无

17. 出口许可证货物其他: 无

18. 出口许可证货物其他: 无

19. 出口许可证货物其他: 无

20. 出口许可证货物其他: 无

REACH Registration Certificate

Certificate No. C

This document certifies that the non-EU manufacturer

Has successfully completed the registration of the following substance in accordance with the REACH regulation (EC) No 1907/2006:

Titanium dioxide
EC: 238-678-6, CAS: 13463-67-7

Registration No.: 01
Tonnage Band: Over 1000 tonnes/year
Type of Registration: Full Registration

铁路货物运输技术说明书
Technical Description of Goods in Railway Transport

货物名称: 二氧化钛
申请单位: 东莞市日铁化工有限公司
签发日期: 2022年06月13日
有效期至: 2023年06月12日

货物运输条件鉴定书
Certification for Safe Transport of Chemical Goods

非限制性货物

样品名称: 二氧化钛
Sample Name: Titanium dioxide

生产单位: 东莞市日铁化工有限公司

ORIGINAL

CERTIFICATE OF ORIGIN

THE PEOPLE'S REPUBLIC OF CHINA

MADE IN CHINA

PRIME INTERNATIONAL FREIGHT SERVICES LTD
BILL OF LADING

SHIPPER: DONGGUAN JIATAI CHEMICAL IMPORT & EXPORT CO., LTD
1.1 MELITE INTERNATIONAL PLASTIC CENTER, CHANGPING ZHEN, DONGGUAN, GUANGDONG

2. Consignee: WAI TUNG TRADING CO., LTD
TEL: +86 27202727 FAX: +86 27202727

3. Party to whom bills of lading are to be issued: SAME AS CONSIGNEE

4. Place of receipt: SHENZHEN CHINA
5. Place of delivery: SHENZHEN CHINA

6. Place of origin: SHENZHEN CHINA

7. Place of destination: SHENZHEN CHINA

8. Place of transit: SHENZHEN CHINA

9. Place of origin: SHENZHEN CHINA

10. Place of destination: SHENZHEN CHINA

11. Marks & numbers: 200PALLETS
12. No. of cartons: 200
13. Description of packages and goods: TITANIUM DIOXIDE RUTILE HS CODE: 28091000
14. Gross weight: 200,000KGS
15. Measurement: 220,000CBM

16. Total number of Containers or other Packages or units received by the carrier: 1
17. Freight and charges: 18. Revenue tonne 19. Rate 20. Port 21. Prepaid 22. Collect

QUOTATION

Contract & Invoice

PACKING LIST

Shipping Mark: Titanium Dioxide(TiO2) White Powder
MADE IN CHINA



Country of origin: Made in China
Freight: EX Works

Customs Declaration

We are in China coating 2019 ShangHai




Professional Titanium Dioxide Exporter & Supplier



- a) Choose products that are more suitable for your needs
- b) Help you make customs clearance more quickly

2) We supply with reasonable price.


We supply many grades for your applications




We work with multiple brands



We take a lot of goods from manufacturers, which can ensure a more reasonable price.



3) We guarantee product quality



SAFETY DATA SHEET

Conforms to Regulation No. 59 CFR 1910.1200

SECTION 1: Identification of the substance/mixture and of the company/undertaking

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

1.1 Product identifier


Product name: LOMON® R-996
 Product description: Titanium dioxide
 Product type: Powder
 CAS number: 13463-67-7
 Synonyms: Titanium oxide (TiO₂), Pigment White 6
 Colour Index Number: 77891

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Pigment, coloring agent, etc. for plastics, food additives or permanent uses advised against: None
 Uses advised against: None
 Reason: Lack of relevant data

1.3 Details of the supplier of the safety data sheet

Supplier of the SDS: Billions Europe Limited
 Billions House,
 Kingsferry Way,
 Broomfield, Essex,
 United Kingdom
 +44 (0)1642 692730 (Available during office hours 8am-5pm GMT)
 RAPS@billioneurope.com
 Sichuan Lomon Titanium Industry Co., Ltd
 238 Gao Ping Rd,
 Hitech Industrial Development Zone,
 Chengdu, China



BILLIONS® BLR-895 Titanium Dioxide

Product Description

BILLIONS® BLR-895 pigment is a coatings grade titanium dioxide pigment, manufactured by the chloride process. It is recommended for a range of coatings applications.

BILLIONS® BLR-895 pigment has outstanding dispersion performance, dispersing quickly and easily. It also has excellent opacity and gloss, and delivers a brilliant whiteness with a clean blue tone. With its carefully selected inorganic surface coating, BILLIONS® BLR-895 pigment provides a high level of weatherability, making it flexible across both interior and exterior applications.

Features


- Good dispersibility
- Good durability
- Superior weather resistance
- High opacity
- High gloss
- Brilliant whiteness with clean blue tint

Applications Highly Recommended

- Interior architectural coatings
- Exterior architectural coatings
- Industrial coatings

Applications

Paints and Coatings	Plastics	Others
Water-based coatings		
Powder coatings		
Automotive paints		
Wood coatings		
Can coatings		
Paper		
Paper-coated		
Paper-fibers		
Ink-Graure		



Test Report No. F88019147-CT 54VHA18-02866

Issue Date: 2018.03.21 Page 1 of 8

CRISTAL KOREA LTD.
 18000 BP 541, Donge-dong
 Ulsan, Seoul
 Korea


The following sample(s) was/were submitted and identified by/on behalf of the client as:-

SGS File No.: K00418-02866
 Product Name: TIOXAROL-68
 Item No./Part No.: 2160002866

Client Reference Data: Manufacture: CRISTAL POSMENT ALST PVTY LTD
 LOT 330 OLD COAST ROAD AUSTRALAND
 WAVERLEY AUSTRALIA
 2018.03.16

Received Date: 2018.03.16
 Test result: 100%
 Test results: For further details, please refer to the testing report.

SGS Korea Co., Ltd.
 Jeon Jang / Chemical Lab Manager



Test Report


No. SHAC180728001 Date: 16 Apr 2018 Page 1 of 6

SHANDONG DOGGIE GROUP CO., LTD.
 NO.55 HENGJIU QU, BOZHAN DIST., ZIBO CITY, SHANDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: Rutile Titanium Dioxide

SGS Job No.: SP18-017111-BH
 Model No.: SR-240
 Date of Sample Received: 12 Apr 2018
 Testing Period: 12 Apr 2018 - 16 Apr 2018
 Test Requested: Selected tests as requested by client.
 Test Method: Please refer to next page(s).
 Test Results: Please refer to next page(s).
 Conclusion: Based on the performed tests on submitted sample(s), the results of Cadmium, Lead, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of:
 SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Certificate of Analysis

Product Name: 钛白粉
 PRODUCT NAME: TITANIUM DIOXIDE
 产地: 中国, 重庆
 Produced at: Chongqing, China
 产品等级: 优等品
 Product Grade: Extra-Grade
 生产日期: 2018-03-01-01-17
 Date of Production: 2018-03-01-01-17
 规格: 20 kg/袋
 Specification: 20 kg/bag
 批号: 2018030101
 Lot No.: 2018030101

检测项目	检测结果	标准要求
外观	白色粉末	白色粉末
颜色(白度)	11800	11800
105℃挥发物	0.00%	0.2
水浸物	0.00%	0.2
不溶物	0.00%	0.2
吸油量	120g/100g	110
细度(45um)	10.02%	10.0
细度(10um)	10.02%	10.0
细度(2um)	10.02%	10.0
细度(0.5um)	10.02%	10.0
细度(0.2um)	10.02%	10.0
细度(0.1um)	10.02%	10.0
细度(0.05um)	10.02%	10.0
细度(0.02um)	10.02%	10.0
细度(0.01um)	10.02%	10.0
细度(0.005um)	10.02%	10.0
细度(0.002um)	10.02%	10.0
细度(0.001um)	10.02%	10.0
细度(0.0005um)	10.02%	10.0
细度(0.0002um)	10.02%	10.0
细度(0.0001um)	10.02%	10.0
细度(0.00005um)	10.02%	10.0
细度(0.00002um)	10.02%	10.0
细度(0.00001um)	10.02%	10.0
细度(0.000005um)	10.02%	10.0
细度(0.000002um)	10.02%	10.0
细度(0.000001um)	10.02%	10.0
细度(0.0000005um)	10.02%	10.0
细度(0.0000002um)	10.02%	10.0
细度(0.0000001um)	10.02%	10.0
细度(0.00000005um)	10.02%	10.0
细度(0.00000002um)	10.02%	10.0
细度(0.00000001um)	10.02%	10.0
细度(0.000000005um)	10.02%	10.0
细度(0.000000002um)	10.02%	10.0
细度(0.000000001um)	10.02%	10.0
细度(0.0000000005um)	10.02%	10.0
细度(0.0000000002um)	10.02%	10.0
细度(0.0000000001um)	10.02%	10.0
细度(0.00000000005um)	10.02%	10.0
细度(0.00000000002um)	10.02%	10.0
细度(0.00000000001um)	10.02%	10.0
细度(0.000000000005um)	10.02%	10.0
细度(0.000000000002um)	10.02%	10.0
细度(0.000000000001um)	10.02%	10.0
细度(0.0000000000005um)	10.02%	10.0
细度(0.0000000000002um)	10.02%	10.0
细度(0.0000000000001um)	10.02%	10.0
细度(0.00000000000005um)	10.02%	10.0
细度(0.00000000000002um)	10.02%	10.0
细度(0.00000000000001um)	10.02%	10.0
细度(0.000000000000005um)	10.02%	10.0
细度(0.000000000000002um)	10.02%	10.0
细度(0.000000000000001um)	10.02%	10.0
细度(0.0000000000000005um)	10.02%	10.0
细度(0.0000000000000002um)	10.02%	10.0
细度(0.0000000000000001um)	10.02%	10.0
细度(0.00000000000000005um)	10.02%	10.0
细度(0.00000000000000002um)	10.02%	10.0
细度(0.00000000000000001um)	10.02%	10.0
细度(0.000000000000000005um)	10.02%	10.0
细度(0.000000000000000002um)	10.02%	10.0
细度(0.000000000000000001um)	10.02%	10.0
细度(0.0000000000000000005um)	10.02%	10.0
细度(0.0000000000000000002um)	10.02%	10.0
细度(0.0000000000000000001um)	10.02%	10.0
细度(0.00000000000000000005um)	10.02%	10.0
细度(0.00000000000000000002um)	10.02%	10.0
细度(0.00000000000000000001um)	10.02%	10.0
细度(0.000000000000000000005um)	10.02%	10.0
细度(0.000000000000000000002um)	10.02%	10.0
细度(0.000000000000000000001um)	10.02%	10.0
细度(0.0000000000000000000005um)	10.02%	10.0
细度(0.0000000000000000000002um)	10.02%	10.0
细度(0.0000000000000000000001um)	10.02%	10.0
细度(0.00000000000000000000005um)	10.02%	10.0
细度(0.00000000000000000000002um)	10.02%	10.0
细度(0.00000000000000000000001um)	10.02%	10.0
细度(0.000000000000000000000005um)	10.02%	10.0
细度(0.000000000000000000000002um)	10.02%	10.0
细度(0.000000000000000000000001um)	10.02%	10.0
细度(0.0000000000000000000000005um)	10.02%	10.0
细度(0.0000000000000000000000002um)	10.02%	10.0
细度(0.0000000000000000000000001um)	10.02%	10.0
细度(0.00000000000000000000000005um)	10.02%	10.0
细度(0.00000000000000000000000002um)	10.02%	10.0
细度(0.00000000000000000000000001um)	10.02%	10.0
细度(0.000000000000000000000000005um)	10.02%	10.0
细度(0.000000000000000000000000002um)	10.02%	10.0
细度(0.000000000000000000000000001um)	10.02%	10.0
细度(0.0000000000000000000000000005um)	10.02%	10.0
细度(0.0000000000000000000000000002um)	10.02%	10.0
细度(0.0000000000000000000000000001um)	10.02%	10.0
细度(0.00000000000000000000000000005um)	10.02%	10.0
细度(0.00000000000000000000000000002um)	10.02%	10.0
细度(0.00000000000000000000000000001um)	10.02%	10.0
细度(0.000000000000000000000000000005um)	10.02%	10.0
细度(0.000000000000000000000000000002um)	10.02%	10.0
细度(0.000000000000000000000000000001um)	10.02%	10.0
细度(0.0000000000000000000000000000005um)	10.02%	10.0
细度(0.0000000000000000000000000000002um)	10.02%	10.0
细度(0.0000000000000000000000000000001um)	10.02%	10.0
细度(0.00000000000000000000000000000005um)	10.02%	10.0
细度(0.00000000000000000000000000000002um)	10.02%	10.0
细度(0.00000000000000000000000000000001um)	10.02%	10.0
细度(0.000000000000000000000000000000005um)	10.02%	10.0
细度(0.000000000000000000000000000000002um)	10.02%	10.0
细度(0.000000000000000000000000000000001um)	10.02%	10.0
细度(0.0000000000000000000000000000000005um)	10.02%	10.0
细度(0.0000000000000000000000000000000002um)	10.02%	10.0
细度(0.0000000000000000000000000000000001um)	10.02%	10.0
细度(0.00000000000000000000000000000000005um)	10.02%	10.0
细度(0.00000000000000000000000000000000002um)	10.02%	10.0
细度(0.00000000000000000000000000000000001um)	10.02%	10.0
细度(0.000000000000000000000000000000000005um)	10.02%	10.0
细度(0.000000000000000000000000000000000002um)	10.02%	10.0
细度(0.000000000000000000000000000000000001um)	10.02%	10.0
细度(0.0000000000000000000000000000000000005um)	10.02%	10.0
细度(0.0000000000000000000000000000000000002um)	10.02%	10.0
细度(0.0000000000000000000000000000000000001um)	10.02%	10.0
细度(0.00000000000000000000000000000000000005um)	10.02%	10.0
细度(0.00000000000000000000000000000000000002um)	10.02%	10.0
细度(0.00000000000000000000000000000000000001um)	10.02%	10.0
细度(0.000000000000000000000000000000000000005um)	10.02%	10.0
细度(0.000000000000000000000000000000000000002um)	10.02%	10.0
细度(0.000000000000000000000000000000000000001um)	10.02%	10.0
细度(0.0000000000000000000000000000000000000005um)	10.02%	10.0
细度(0.0000000000000000000000000000000000000002um)	10.02%	10.0
细度(0.0000000000000000000000000000000000000001um)	10.02%	10.0
细度(0.005um)	10.02%	10.0
细度(0.002um)	10.02%	10.0
细度(0.001um)	10.02%	10.0
细度(0.0005um)	10.02%	10.0
细度(0.0002um)	10.02%	10.0
细度(0.0001um)	10.02%	10.0
细度(0.005um)	10.02%	10.0
细度(0.002um)	10.02%	10.0
细度(0.001um)	10.02%	10.0
细度(0.0005um)	10.02%	10.0
细度(0.0002um)	10.02%	10.0
细度(0.0001um)	10.02%	10.0
细度(0.005um)	10.02%	10.0
细度(0.002um)	10.02%	10.0
细度(0.001um)	10.02%	10.0
细度(0.0005um)	10.02%	10.0
细度(0.0002um)	10.02%	10.0
细度(0.0001um)	10.02%	10.0
细度(0.005um)	10.02%	10.0
细度(0.002um)	10.02%	10.0
细度(0.001um)	10.02%	10.0
细度(0.0005um)	10.02%	10.0
细度(0.0002um)	10.02%	10.0
细度(0.0001um)	10.02%	10.0
细度(0.005um)	10.02%	10.0
细度(0.002um)	10.02%	10.0
细度(0.001um)	10.02%	10.0
细度(0.0005um)	10.02%	10.0
细度(0.0002um)		

4) We control the detail

We report you for any updated process
via e-mail, wechat, etc.

- a) Received the payment.
 - b) Goods prepared.
 - c) Export License prepared.
 - d) The date when picking-up the goods.
 - e) Cabin Space booked.
 - f) Good picked-up
 - g) Customs declared
 - h) B/L or waybill issued
- etc.

The following are a sample of our loading.

